

Datasheet Reference No: DF-PS18

Rev. 1 - March 2020

Dust and Fume Extraction

DUSTCONTROL DCF TROMB c/L/a PRE SEPARATOR UNIT



DESCRIPTION

The Dustcontrol Pre Separator DCF Tromb functions together with the dust extractor and uses vacuum (suction) to force the air through the suction cover/ nozzle.

Coarse separation is carried out in the preseparator's cyclone, which separates coarse dust highly effectively and greatly assists the dust extractor.

The pre-separator has the following discharge options:

c - **Plastic bag**: The extracted and separated material is collected in a plastic bag that can be detached in one simple operation.

a - **Container**: A cylindrical container for collection of separated material.

L - **Longopac**: The machine is equipped with a flexible bag system, in which the dust is collected in a closed system.

| Item | Part Code | | |
|-------------|-----------|--|--|
| DCF Tromb c | 707002 | | |
| DCF Tromb a | 707001 | | |
| DCF Tromb L | 707000 | | |

| | DCF Tromb c | DCF Tromb a | DCF Tromb L |
|---------------------------|---------------------|----------------|----------------|
| Dimensions (H x W x L) | 1290 x 600 x 780 mm | | |
| Weight | 27 kg | 33 kg | 32 kg |
| Inlet | Ø76 mm | | |
| Collection Container | 20 | 40 | Longopac |

FEATURES

- Easy to transport
- Handles large quantities of dust
- Dust-free bag replacement
- C4 (ISO 12944)

CONSUMABLES

- Coupling socket (2008)
- Coupling socket (2129)
- Hose Ø=50 (2013)
- Plastic bag, 50 pcs (4314)
- Intellibag, 10 pcs/roll (43619)
- Plastic bag Longopac (432177)

LONGOPAC



INTELLIBAG



AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

0141 892 6690