

NEDERMAN 140A EX VACUUM CLEANER




TECHNICAL SPECIFICATION

Application	Dust, Liquid, Granulate, Swarf
Certifications	CE, EX
Compressed Air Requirement	4,3 Nm ³ /min @ 7bar
Filter Material	Microfibre
Filter Type	Cartridge
Hose Diameter (mm)	38
Hose Length (m)	16
Max Airflow (m ³ /h)	330
Max Vacuum (kPa)	-68
No. of Filter Elements	1
Noise Level (dB(A))	77.0
Type of Hose	PU EL
Weight (kg)	60

FEATURES

- Liquid recovery
- Stainless steel for rough conditions
- ATEX approved

PERFORMANCE GRAPH



DESCRIPTION

This heavy duty stainless steel industrial vacuum cleaner is excellent for collection and recovery of hazardous and flammable liquids such as petrol, diesel, acetone and other organic fluids.

The ATEX vacuum is suitable for various cleaning and liquid pick-up operations in heavy industry, tank stripping and off-shore. All parts of the vacuum cleaner are anti-static and conductive to avoid static electricity loading. Designed for stripping of cargo tanks and deep well sumps in shipping. ATEX approved equipment: EX II 2 GD c IIB 60°C (T6).

PART CODE/ORDERING TABLE

140A EX - NE64, S50, tank stripping unit	42214000
--	----------

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT