

NEDERMAN 218A PORTABLE DUST EXTRACTOR



TECHNICAL SPECIFICATION

Application	Dust, Grit, Granulate, Swarf, Fumes
Certifications	CE
Dustbin Volume (l)	47
Filter Area (m ²)	1,6
Filter Cleaning Method	Reverse Air Pulse
Installation	Indoor
Compressed Air Requirement	2,2 Nm ³ /min
Filter Type	Bag
Hose Diameter (mm)	51
Hose Length (m)	7,5
Max Airflow (m ³ /h)	360
Max Vacuum (kPa)	-42
Noise Level (dB(A))	73.5
Type of Hose	PE/C
Weight (kg)	70

PART CODE/ORDERING TABLE

218 A - NE42	42121801
--------------	----------

DESCRIPTION

218A industrial vacuum cleaner is the perfect machine for collection of very fine non-explosive dust. The dry vacuum filter and cleaning system provides a long interval between filter exchange which improves the productivity.

The compressed air driven ejector creates a high airflow for excellent dust and fine powder extraction. The dust collector operates with independent air cooling for improved performance. It has an efficient cyclonic pre-separation of the dust before the filter. The robust design of the dust collector makes for a safe operation in rough condition and the big wheels makes it easy to transport. The container is easy to empty plastic dust bag is available as an option.


FEATURES

- perfect for very fine dust collection
- Robust design for heavy duty applications

ACCESSORIES

Control Spneum for NE	43212001
Control S for NE 22-76	43220001
Control S for NE 22-76	43220026
Control S for NE 86-96	43222008

PERFORMANCE GRAPH



AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT