

## NEDERMAN EXHAUST HOSE NTP



### DESCRIPTION


Specifically designed to be flexible and ductile, and to have a very low pressure drop.

They are resistant to all chemicals in diesel and petrol exhaust fumes, and show high resistance to mechanical stress.

### FEATURES

- For most normal applications
- Temperature range:  
Continuous use: up to + 150 °C
- Light weight and abrasion resistant

### PRESSURE DROP NTP



- A= Ø75 mm (3") on reel
- B= Ø75 mm (3") straight
- C= Ø100 mm (4") on reel
- D= Ø125 mm (5") on reel
- E= Ø100 mm (4") straight
- F= Ø150 mm (6") on reel
- G= Ø125 mm (5") straight
- H= Ø150 mm (6") straight

### HOSE SPECIFICATIONS

Description	Diameter, hose (mm)	Hose length (m)	Weight (kg)	Part No.
Hose exhaust Ø 100/7,5 NTP	100	7,5	0,8 kg/m	20805262
Hose exhaust Ø100/10,0 NTP	100	10	0,8 kg/m	20805362
Hose exhaust Ø125/7,5 NTP	125	7,5	0,98 kg/m	20805562
Hose exhaust Ø150/5,0 NTP	150	5	1,16 kg/m	20805662
Hose exhaust Ø150/7,5 NTP	150	7,5	1,16 kg/m	20805762
Hose exhaust Ø75/5,0 NTP	75	5	0,61 kg/m	20805062
Hose exhaust Ø100/5,0 NTP	100	5	0,8 kg/m	20805162
Hose exhaust Ø125/5,0 NTP	125	5	0,98 kg/m	20805462

Hose type	Temperature range, °C
NTP	up to 150

## NEDERMAN EXHAUST HOSE NTP

### ACCESSORIES

Image	Accessory	Part No.
	Hose suspension, hard plastic Ø75 mm	20373615
	Hose suspension, hard plastic Ø100 mm	20373607
	Hose suspension, hard plastic Ø150 mm	20373609
	Hose suspension, hard plastic Ø125 mm	20373608
	Quick coupler 100 mm (2 pcs)	20374641
	Connection kit 4" for quick coupler	20375048
	Quick coupler, male Ø100 incl. rubber sleeves and hose clip	20375049
	Quick coupler, male Ø150 incl. rubber sleeves and hose clip	20376017
	Rubber sleeve, hose clamp 3" NTP, 2 pc	20376474

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

## NEDERMAN EXHAUST HOSE NTP

### ACCESSORIES

Image	Accessory	Part No.
	Rubber sleeve, hose clamp 4" NTP, 2 pc	20376475
	Rubber sleeve, hose clamp 5" NTP, 2 pc	20376382
	Rubber sleeve, hose clamp 6" NTP, 2 pc	20376476
	Y-pipe Ø100/100/100	20376647
	Hose coupling 100 (4")	20947410
	Hose coupling 125 (5")	20948710
	Hose coupling 150 (6")	20948810
	Hose clip with rubber sleeve, pair Ø200	20373838
	Reduction 200 mm-150mm	20374284
	Quick coupling D = 100 mm (4") male	20947710

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

## NEDERMAN EXHAUST HOSE NTP

### ACCESSORIES

Image	Accessory	Part No.
	Quick coupling D = 100 (4'') female	20948110
	Quick coupling D = 150 (6'') female	20948310
	Quick coupling D = 150 (6'') male	20947910
	Connection set 3''	20373286
	Connection set 4''	20373287
	Connection set 5''	20373288
	Connection set 6''	20373289
	Bend 3''	20344590
	Bend 4''	20344591
	Bend 5''	20344592

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

## NEDERMAN EXHAUST HOSE NTP

### ACCESSORIES

Image	Accessory	Part No.
	Bend 6"	20344593
	Hose suspension, adjustable rubber Ø100 - 150 mm	20374530
	Adaptor for 3" hose	20373128
	Quick safety coupler incl. rubber sleeves and hose clips, Ø100 mm	20374541
	Quick safety coupler incl. rubber sleeves and hose clips, Ø150 mm	20374543
	Connector 6"-5" steel.	20344353
	Connector 5"-4" steel.	20344354
	Connector 4"-3" steel.	20342483
	Junction pipe D = 160	20371413

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT