

Dust and Fume Extraction

GEOFLEX EXHAUST HIGH TEMPERATURE 1100 HOSE



TECHNICAL SPECIFICATION

09-301	
Hose Length	3000 or 6000 mm
Hose Diameter	Ø102-203 mm
Weight	1.2-2.2 kg/m
Bend Radius	60-120 mm
Max. Vacuum	0.2-0.05 bar
Temperature Range	-20° to +1100° C
AES Part Code	EA-HS09-000

DESCRIPTION

GeoFlex Exhaust HT 1100 is a high temperature hose designed for the extraction or air supply of hot air, fumes, smoke or dust within an industrial environment.

Suitable for the extraction of exhaust gases from large vehicles such as combine harvesters, excavators or tractors. Also suitable for the extraction of hot air from industrial heaters.

FEATURES

- · Compatible with industrial machinery fumes
- Very durable outer
- Utilisable in many industrial applications
- Versatile range of temperature from -120° to 650°C

PRODUCT DETAILS

Material

3 Ply. Stainless Steel Fabric, High Temp Isolation Fabric, PU Coated high temperature fabric reinforced by woven stainless steel wire

Colour

Silver Grey

Length

3 or 6m (Other lengths on request)

Temperature Resistance

- 20 °C to +1100 °C.

Applications

Spark extraction, suction of exhaust gases, flue exhaust, other hot fume, gas and dust applications

Properties

Very High Temp Resistance Strong Outer Surface Flame Retardant to NF P 92-503 M2 Specifications Silicone Free

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT