

NEDERMAN HOSE REEL 888/889 HIGH PRESSURE WATER STAINLESS STEEL



DESCRIPTION

These reel are ideal in environments with high humidity, where hygiene is of the utmost importance or where there is a risk of chemical attack.

Thanks to the open design, the reels are very easy to service, maintain and keep clean.

Can be installed on wall or on the ceiling.

FEATURES

- All components in stainless steel and chemically resistant composite
- Open design for ease of cleaning
- Outlet position can be adjusted through 120° for optimum pull-out and pull-in angle

TECHNICAL SPECIFICATION

Product Name	Hose Reel 888 Stainless
Connection hose length (m)	1
Colour	Stainless

HOSE SPECIFICATION

Type of hose	Media	Delivered with hose	Distribution hose length (m)	Diameter, connection hose (mm)	Distribution hose diameter (mm)	Max working pressure (Mpa)	Weight (kg)	Max hose length	No.
G	Water high pressure	Yes	15	10	10	25	18	15	1
	Water high pressure	No			19	25	14	15	2
G	Water high pressure	Yes	20	10	10	25	18		3
	Water high pressure	No			10	25	11	20	4

No.	Model
1	30803888
2	30803788
3	30803889
4	30803789

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

NEDERMAN HOSE REEL 888 STAINLESS STEEL

DESCRIPTION

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
E	Cover in NBR/PVC and inner tube in food grade quality NBR. Synthetic textile braid.	-30 - 100	Male 60° cone, chrome plated	Female 60° cone, chrome plated	Male 60° cone	Male 60° cone
G	Cover and inner tube in synthetic rubber. Single steel braid	-40 - 155	Female 60° cone, chrome plated With rubber hose grip	Female 60° cone, chrome plated	Male 60° cone	Male 60° cone

ACCESSORIES

Image	Accessory	Part No.
	Roller guide	30341550
	Pivoting bracket	30372407
	Pivoting bracket SS	30372408
	Water gun in chromium plated brass	30400110
	Water gun in stainless steel	30400210


AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

NEDERMAN HOSE REEL 888 STAINLESS STEEL

ACCESSORIES

Image	Accessory	Part No.
	Watergun EX	30400211
	High temperature water gun	30400310
	Air gun, standard	30410110
	Swivelling coupling 3/8(m)-3/8(m)HP	30431310
	Swiv. coupling 3/8(m)-3/8(m) HP SS	30431410

DIMENSIONS



AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

NEDERMAN HOSE REEL 888 STAINLESS STEEL

ACCESSORIES

Image	Accessory	Part No.
	Swivl. coupl.1/2(m)-3/8(f) brass	30431510
	Swivl. coupl.1/2(m)-1/2(f) brass	30431610
	Swivel coupling 1/2(m)-3/4 (f) bra	30431710
	Swivl. coupl. 1/2(m)-3/8(f) SS	30431810
	Swivl coupl. 1/2(m)-1/2(f) SS	30431910
	Swivl.coupl.1/2(m)-3/4(f) SS	30432010

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT