

## NEDERMAN FX ARM CHEM HOODS AND ACCESSORIES



FX Combination Hood	
Part No.	Description
70500344	FX-Combi hood-CHEM-D50/75/100. Corrosion resistant combi dome hood, made of PE, for FX2 50/75/100 arms is designed to capture low energy and aggressive contaminants. The ergonomics of handle design on both sides of the hood make it easier to maneuver.

FX Flange Hood	
Part No.	Description
70503044	FX-Flange hood-CHEM-D50/75/100 Corrosion resistant white flange hood, made of PE plastic, is designed to maximize the capture zone without hinder objects on the bench or the user. It can be attached directly on to the minihood, irrespective of arm size.

FX Chem Dome Hood	
Part No.	Description
70376984	FX-Dome hood-CHEM-D50/75/100. Transparent dome hood, made of PET-G plastic, is designed to capture high dispersion contaminants. It can be attached directly on minihood, irrespective of arm size. The ergonomics of handle design on both sides of the hood make it easier to maneuver

FX Metal Hood	
Part No.	Description
70500444	FX-Metal hood-ORIG/CHEM-D50/75/100. Powder coated white metal hood, made of aluminum, is designed to capture contaminants in high temperature, aggressive fume where corrosion resistance must be assured or dust splatter. It can be attached directly on minihood, irrespective of arm size.









AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

## NEDERMAN FX ARM CHEM HOODS AND ACCESSORIES

Part No.	Description	Image
70501144	<b>FX-Bracket kit-D50/75/100-L190</b> Complete mounting kit, with the classic bracket, 190 mm (7.48 inch) extension profile and associated parts, for mounting FX2 50/75/100 arms with 250mm from the vertical centre line of the arm to the wall.	
70377042	<b>FX2-Bracket kit-D50/75/100-L500</b> Complete mounting kit, with the classic bracket, 500mm (19.68 inch) extension profile and associated parts, for mounting FFX2 50/75/100 arms on the ceiling.	
70377043	<b>FX2-Wall BRKT kit-Flat-L190-White</b> Complete mounting kit, with flat wall bracket, 190 mm (7.48 inch) extension profile and associated parts, for mounting FX2 50/75/100 arms with 250mm from the vertical centre line of the arm to the wall.	
70377046	<b>FX2-Wall-P BRKT kit-D50/75/100-L190</b> Complete mounting kit for mounting FX2 50/75/100 plus arms with 250 mm (9.84 inch) from the vertical centre line of the arm to the wall.	
70501444	<b>FX2-Bench bracket kit-D50/75/100</b> Complete mounting kit for mounting FX2 50/75/100 arms on the bench edge.	
70501244	<b>FX-Classic bracket-D50/75/100</b> The classic bracket should be used together with Cut2fit extension profile for mounting FX2 50/75/100 arms on the ceiling, wall, floor or on top of other horizontal surface	
70502644	<b>FX-Ceiling cover plate</b> Cover false/dropped ceiling openings caused by both extension profile and ducting.	





AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

## NEDERMAN FX ARM CHEM HOODS AND ACCESSORIES

Part No.	Description	
70377045	<b>FX2-Ceiling cover plate-PLUS</b> Cover false/dropped ceiling opening caused by tube.	
70501344	<b>FX-Cut2fit extension-L1100</b> - Cut2fit extension could be cut at any length and should be assembled together with the classic bracket for mounting FX2 50/75/100 arms on the ceiling or wall.	
70374600	<b>FX-Cut2fit extension-L2200</b> - Cut2fit extension could be cut at any length and should be assembled together with the classic bracket for mounting FX2 50/75/100 arms on the ceiling or wall.	
70377040	<b>FX2-Duct connector-ORIG/CHEM-D100.</b> Grey duct connector to ease the coupling of 100mm (4 inch) Alu duct to external 125mm (5 inch) ductwork. Please note all arms are already supplied with a duct connector as standard.	
70377054	<b>FX2-Al duct-L1000-D75-/100 to D100-WHT.</b> Corrosion resistant white duct with 100 mm (4 inch) diameter and 1000 mm (39.37 inch) length is designed to replace vertical ventilation duct above the swivel of FX2 75/100 arms. The duct is made of anodized aluminium with a white electrophoretic deposition coating which ensure good corrosion resistance.	
70377055	<b>FX2-Al duct-L2000-D75/100 to D100-WHT.</b> Corrosion resistant white duct with 100 mm (4 inch) diameter and 2000 mm (78.74 inch) length is designed to replace vertical ventilation duct above the swivel of FX2 75/100 arms. The duct is made of anodized aluminium with a white electrophoretic deposition coating which ensure good corrosion resistance.	
70377099	<b>FX-Hose-D100-L3000-GreyFlexible</b> hose in grey PVC with 100 mm (4 inch) diameter and 3000 mm (118.11 inch) length. It shall be used with hose support ring to connect hose to arm.	
70377100	<b>FX-Hose D125-L5000-GreyFlexible</b> hose in grey PVC with 125 mm (5 inch) diameter and 5000 mm (195.85 inch) Length. It shall be used with hose support ring to connect hose to arm.	

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

## NEDERMAN FX ARM CHEM HOODS AND ACCESSORIES

Part No.	Description	
70377067	<b>FX2-Hose support ring-D75.</b> Place into the 75 mm (3 inch) hose to support the connection between the hose and the duct connector of the arm.	
70377098	<b>FX-Hose-D75-L3000-Grey</b> Diameter (mm) 75 Diameter, hose (mm) 75 Length (m) 3	
70377068	<b>FX2-Hose support ring-D100.</b> Place into the 100 mm (4 inch) hose to support the connection between the hose and the duct connector of the arm. A must to connect the hose to arm.	
70377069	<b>FX2-Hose support ring-D125.</b> Place into the 125 mm (5 inch) hose to support the connection between the hose and the duct connector of the arm. A must to connect the hose to arm.	

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT