

MS10 EXTRACTOR



TECHNICAL SPECIFICATION

Machine Width	500 mm
Machine Depth	659 mm
Machine Height	790 mm
Filter Area	0.92 m ²
Dust Collection Capacity	12 litre dust tray
Inlet sizes (standard)	1 x 80 mm or 2 x 50 mm diameter ports
Gross Weight	80 kg
Motor Power Rating	0.55 kW 230/1/50 or 400/3/50
Full Load Amps	1 Phase = 7A, 3 Phase = 2.5A
Filter Condition Monitoring	Differential pressure gauge across filters included

DESCRIPTION

The MS10 Dust Extractor has been designed for use with small machines such as bench grinders, sanders, polishers and other similar small workshop machines.

The MS10 is compact, quiet and well made, with a robust steel construction making it perfect for both industrial and educational type applications. The wide internal filter makes it perfect for handling a wide range of dust types making this a competent and versatile extractor.

The MS10 can also be purchased with options that allow the extractor to be used as the pedestal for machines such as polishers, sanders and grinders.

FEATURES


- 0.92 m² (10ft²) of filter area.
- Compact and versatile with low noise characteristics.
- Easy to maintain.
- Suitable for a variety of dust types.
- Solid industrial construction.
- Options for using extractor as a pedestal for other machines.
- Inlet ports can be located on either side of the extractor.




AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

MS10 EXTRACTOR

DIMENSIONS



AIRFLOW PERFORMANCE GRAPH



AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT