


AIR PURIFICATION BOX CCD-1RC



TECHNICAL SPECIFICATION

Product name	Air Purification Box CCD-1RC
Noise level (dB(A))	75.6
Filter efficiency (%)	95
Installation	[Indoor]
Capacity (max airflow m3/h)	2550
Operating Temperature	Max. temperature of filtered media 80 Deg. C.
Power Voltage (V)	230
Weight (kg)	51
Power (kW)	0.33

DESCRIPTION

Small air filtration unit primarily used for areas with light to moderate airborne contaminants.


Ideal for small service and repair shops, and areas where a secondary measure of filtration is required.

Please note, this is NOT an LEV system, this is a secondary filtration unit designed to be used in addition to LEV and help reduce the amount of airborne particles within the working area..


It is designed for indoor installation only and must be protected from excessive moisture.

MODELS

Description	Model
Air purification box without indicator	73000067
Air purification box with indicator	73000071



The function of the machinery is that the airborne particulate is drawn by the fan (pos. 1) into the air cleaner and through the filters (pos. 2) located at the front of the unit. The cleaned air is discharged at the rear of the unit via a double deflection grill (pos. 3).



ACCESSORIES

Accessory	Part No.
Filter 595 x 595 x 98 G4 (LJ10004)	73000094

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT