

## NEDERMAN HOSE REEL 888/889 COMPRESSED AIR/WATER



### DESCRIPTION

Thanks to the open design, the reels are very easy to service, maintain and keep clean.

Can be installed on wall or on the ceiling.

### FEATURES

- Outlet position can be adjusted through 120° for optimum pull-out and pull-in angle
- Spring power can easily be adjusted from the outside
- Ratchet easily disengaged when required

### TECHNICAL SPECIFICATION

Product Name	Hose Reel 888
Connection hose length (m)	1
Corrosion resistance	Standard
Electric/Spring driven	Spring

### HOSE SPECIFICATION

Type of hose	Media	Delivered with hose	Colour	Distribution hose length (m)	Diameter, connection hose diameter (mm)	Distribution hose diameter (mm)	Max working pressure (Mpa)	Weight (kg)	Max hose length	No.
B	Compressed air, water	Yes	Black drum/ Blue arm	10	12,5	12,5	1,5	16		1
	Compressed air, water	No	Black drum/ Blue arm			10	1,5	11	15	2
	Compressed air, water	No	Black drum/ Blue arm			12,5	1,5	11	10	3
B	Compressed air, water	Yes	Black drum/ Blue arm	15	12,5	10	1,5	16		4

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT


## NEDERMAN HOSE REEL 888 COMPRESSED AIR/WATER

### HOSE SPECIFICATION

Type of hose	Media	Delivered with hose	Colour	Distribution hose length (m)	Diameter, connection hose diameter (mm)	Distribution hose diameter (mm)	Max working pressure (Mpa)	Weight (kg)	Max hose length	No.
B	Compressed air, water	Yes	Black drum/ Blue arm	20	12,5	10	1,5	16		5
	Compressed air, water	No	Black drum/ Blue arm			10	1,5	11	20	6
B	Compressed air, water	Yes	Black drum/ Blue arm	15	12,5	12,5	1,5	16		7
	Compressed air, water	No	Black drum/ Blue arm			12,5	1,5	11	15	8

No.	Part Number
1	30800888
2	30800388
3	30800788
4	30800688
5	30800689
6	30800589
7	30800889
8	30800789

### HOSE REEL DIMENSIONS



AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

## NEDERMAN HOSE REEL 888 COMPRESSED AIR/WATER

### HOSE SPECIFICATION

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
B	Cover in NBR/PVC and inner tube in NBR. Synthetic textile braid	-30 - 100	Male, chrome plated.		Hose nipple + clip	Hose nipple 1/2" + clip

### HOSE SPECIFICATION

Image	Accessory	Part No.
	Swivelling coupling 3/8(m)-3/8(m)HP Swiv. coupling 3/8(m)-3/8(m) HP SS	30431310 30431410
	Swiv. coupling. 1/2(m)-3/8(f) brass Swiv. coupl.1/2(m)-3/4(f) bra Swiv. coupl. 1/2(m)-3/8(f) SS	30431510 30431610 30431710
	Swiv. coupl. 1/2(m)-1/2(f) SS Swiv.coupl.1/2(m)-3/4(f) SS Swivl.coupl.1/2(m)-3/4(f) SS	30431810 30431910 30432010
	Inlet kit for hose reel 1/2" with ball valve	30511550
	Inlet kit for hose reel 3/8" with ball valve 3/8", 3/8"-3/8" adapter and 1/4" - 3/8" adapter	30511650
	Inlet kit for hose reel 1/2" with ball valve 1/2", 1/2" adapter, 1/2"-1/2" nipple and hose	30511750

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT

## NEDERMAN HOSE REEL 888 COMPRESSED AIR/WATER

### HOSE SPECIFICATION

Image	Accessory	Part No.
	Roller guide	30341550
	Pivoting bracket	30372407
	Water gun in chromium plated brass	30400110
	Water gun in stainless steel	30400210
	Watergun EX	30400211
	High temperature water gun	30400310
	Air gun, standard	30410110

AES OFFER INSTALLATION AND SERVICE SUPPORT FOR ALL EQUIPMENT